INTERNATIONAL JOURNAL
OF CLOTHING SCIENCE
AND TECHNOLOGY

Volume 3, 1991

AUTHOR AND TITLE INDEX

A

AMIRBAYAT, J. and McLAREN MILLER, J., Order of Magnitude of Compressive Energy of Seams and its Effect on Seam Pucker 2 12

ARKISON, M., see CASSIDY, T.

Automatic Sponging: Development of a Computer-Aided System Controlled by Fabric Objective Data, ITO, K. 3 11

AYADA, M., MIKI, M. and NIWA, M., Discriminating the Silhouette of Ladies' Garments Based on the Fabric Mechanical Properties 3 18

C

CASSIDY, S., see CASSIDY, T.

CASSIDY, T., CASSIDY, S., CASSIE, S. and ARKISON, M., The Stiffness of Knitted Fabrics: A New Approach to the Measurement of Bending — Part 1: Development 5 14

CASSIE, S., see CASSIDY, T.

D

DHARMARA, J.S.K. see PECK, J.C.

Discrete-Event Simulation of Trouser Manufacturing, ROSSER, P.S., SOMMERFELD, J.T. and TINCHER, W.C. 2 18

Discriminating the Silhouette of Ladies' Garments Based on the Fabric Mechanical Properties, AYADA, M., MIKI, M. and NIWA, M. 3 18

F

FAN, J. and KEIGHLEY, J.H., An Investigation on the Effects of Body Motion, Clothing Design and Environmental Conditions on the Clothing Thermal Insulation by Using a Fabric Manikin 5 6

(The) Feasibility of Improving the Marker Making Process, JACOBS-BLECHA, C. and RIALL, W. 4 13

G

GERSAK, J. and KNEZ, B., Reduction in Thread Strength and a Cause of Loading in the Sewing Process 4 6

I

(An) Investigation on the Effects of Body Motion, Clothing Design and Environmental Conditions on the Clothing Thermal Insulation by Using a Fabric Manikin, FAN, J. and KEIGHLEY, J.H. 5 6

J

JACOBS-BLECHA, C. and RIALL, W., The Feasibility of Improving the Marker Making Process 4 13

K

KAWABATA, S. and NIWA, M., Objective Measurement of Fabric Mechanical Property and Quality: Its Application to Textile and Clothing Manufacturing 1 7

KEIGHLEY, J.M., see FAN, J.

KHAMBEKAR, P.K., see PECK, J.C.

KNEZ, B., see GERSAK, J.

L

LAUGHLIN, J., Perception of Fabrics: A Texturalcentric Study of the Visual and Tactile Responses of Adult and Elderly Women 5 20

M

McLAREN MILLER, J., see AMIRBAYAT, J.

MIKI, M., see AYADA, M.

MONKMAN, G.J. and SHIMMIN, C., Use of Permanently Pressure-sensitive Chemical Adhesive in Robot Gripping Devices 2 6

N

NIWA, M., see AYADA, M.

NIWA, M., see KAWABATA, S.

NIWA, M. and YAMADA, Y., Prediction of Seam Pucker of Shingosen Fabrics Woven with Micro Denier Fibres 3 7

O

Objective Measurement of Fabric Mechanical Property and Quality: Its Application to Textile and Clothing Manufacturing, KAWABATA, S., and NIWA, M. 1 7

Order of Magnitude of Compressive Energy of Seams and its Effect on Seam Pucker, AMIRBAYAT, J. and McLAREN MILLER, J. 2 12

P

PARGAS, R.P. see PECK, J.C.

Pattern Construction Rules for Down's Syndrome Females, TAM WONG HUNG YEH, (TAM, H.) 4 25

PECK, J.C. PARGAS, R.P., KHAMBEKAR, P.K. and DHARMARAJ, S.K., Shopfloor Performance Metrics for the Apparel Industry 1 19

Perception of Fabrics: A Texturalcentric Study of the Visual and Tactile Responses of Adult and Elderly Women, LAUGHLIN, J. 5 20

Perception of Texture, Visually and Tactually: An Exploratory Study Using Multidimensional Scaling Analysis, LAUGHLIN, J. 1 28

Prediction of Seam Pucker of Shingosen Fabrics Woven with Micro Denier Fibres, NIWA, M. and YAMADA, Y. 3 7

R

Reduction in Thread Strength as a Cause of Loading in the Sewing Process, GERSAK, J. and KNEZ, B. 4 6

RIALL, W., see JACOBS-BLECHA, C.

ROSSER, P.S., SOMMERFELD, J.T. and TINCHER, W.C., Discrete-Event Simulation of Trouser Manufacturing 2 18

S

Seam Pucker in Lightweight Synthetic Fabrics: Measurement as an Aesthetic Property Using Computer Vision, STYLIOS, G., and SOTOMI, J. 3 14

SHIMMIN, C., see MONKMAN, G.J.

Shopfloor Performance Metrics for the Apparel Industry, PECK, J.C., PARGAS, R.P., KHAMBEKAR, P.K. and DHARMARAJ, S.K. 1 19

SOMMERFELD, J.T., see ROSSER, P.S.

SOTOMI, J., see STYLIOS, G.

(The) Stiffness of Knitted Fabrics: A New Approach to the Measurement of Bending — Part 1: Development, CASSIDY, T., CASSIDY, C., CASSIE, S. and ARKISON, M. 5 14

STYLIOS, G. and SOTOMI, J., Seam Pucker in Lightweight Synthetic Fabrics: Measurement as an Aesthetic Property Using Computer Vision 3 14

T

TAM WONG HUNG YEH., (TAM, H.) Pattern Construction Rules for Down's Syndrome Females 4 25

TINCHER, W.C., see ROSSER, P.S.

U

Use of Permanently Pressure-sensitive Chemical Adhesives in Robot Gripping Devices, MONKMAN, G.J. and SHIMMIN, C. 2 6

Y

YAMADA, Y., see NIWA, M.

INTERNATIONAL JOURNAL
OF CLOTHING SCIENCE
AND TECHNOLOGY

Volume 3, 1991

AUTHOR AND TITLE INDEX

A

AMIRBAYAT, J. and McLAREN MILLER, J., Order of Magnitude of Compressive Energy of Seams and its Effect on Seam Pucker 2 12

ARKISON, M., see CASSIDY, T.

Automatic Sponging: Development of a Computer-Aided System Controlled by Fabric Objective Data, ITO, K. 3 11

AYADA, M., MIKI, M. and NIWA, M., Discriminating the Silhouette of Ladies' Garments Based on the Fabric Mechanical Properties 3 18

C

CASSIDY, S., see CASSIDY, T.

CASSIDY, T., CASSIDY, S., CASSIE, S. and ARKISON, M., The Stiffness of Knitted Fabrics: A New Approach to the Measurement of Bending — Part 1: Development 5 14

CASSIE, S., see CASSIDY, T.

D

DHARMARA, J.S.K. see PECK, J.C.

Discrete-Event Simulation of Trouser Manufacturing, ROSSER, P.S., SOMMERFELD, J.T. and TINCHER, W.C. 2 18

Discriminating the Silhouette of Ladies' Garments Based on the Fabric Mechanical Properties, AYADA, M., MIKI, M. and NIWA, M. 3 18

F

FAN, J. and KEIGHLEY, J.H., An Investigation on the Effects of Body Motion, Clothing Design and Environmental Conditions on the Clothing Thermal Insulation by Using a Fabric Manikin 5 6

(The) Feasibility of Improving the Marker Making Process, JACOBS-BLECHA, C. and RIALL, W. 4 13

G

GERSAK, J. and KNEZ, B., Reduction in Thread Strength and a Cause of Loading in the Sewing Process 4 6

I

(An) Investigation on the Effects of Body Motion, Clothing Design and Environmental Conditions on the Clothing Thermal Insulation by Using a Fabric Manikin, FAN, J. and KEIGHLEY, J.H. 5 6

J

JACOBS-BLECHA, C. and RIALL, W., The Feasibility of Improving the Marker Making Process 4 13

K

KAWABATA, S. and NIWA, M., Objective Measurement of Fabric Mechanical Property and Quality: Its Application to Textile and Clothing Manufacturing 1 7

KEIGHLEY, J.M., see FAN, J.

KHAMBEKAR, P.K., see PECK, J.C.

KNEZ, B., see GERSAK, J.

L

LAUGHLIN, J., Perception of Fabrics: A Texturalcentric Study of the Visual and Tactile Responses of Adult and Elderly Women 5 20

M

McLAREN MILLER, J., see AMIRBAYAT, J.

MIKI, M., see AYADA, M.

MONKMAN, G.J. and SHIMMIN, C., Use of Permanently Pressure-sensitive Chemical Adhesive in Robot Gripping Devices 2 6

N

NIWA, M., see AYADA, M.

NIWA, M., see KAWABATA, S.

NIWA, M. and YAMADA, Y., Prediction of Seam Pucker of Shingosen Fabrics Woven with Micro Denier Fibres 3 7

O

Objective Measurement of Fabric Mechanical Property and Quality: Its Application to Textile and Clothing Manufacturing, KAWABATA, S., and NIWA, M. 1 7

Order of Magnitude of Compressive Energy of Seams and its Effect on Seam Pucker, AMIRBAYAT, J. and McLAREN MILLER, J. 2 12

P

PARGAS, R.P. see PECK, J.C.

Pattern Construction Rules for Down's Syndrome Females, TAM WONG HUNG YEH, (TAM, H.) 4 25

PECK, J.C. PARGAS, R.P., KHAMBEKAR, P.K. and DHARMARAJ, S.K., Shopfloor Performance Metrics for the Apparel Industry 1 19

Perception of Fabrics: A Texturalcentric Study of the Visual and Tactile Responses of Adult and Elderly Women, LAUGHLIN, J. 5 20

Perception of Texture, Visually and Tactually: An Exploratory Study Using Multidimensional Scaling Analysis, LAUGHLIN, J. 1 28

Prediction of Seam Pucker of Shingosen Fabrics Woven with Micro Denier Fibres, NIWA, M. and YAMADA, Y. 3 7

R

Reduction in Thread Strength as a Cause of Loading in the Sewing Process, GERSAK, J. and KNEZ, B. 4 6

RIALL, W., see JACOBS-BLECHA, C.

ROSSER, P.S., SOMMERFELD, J.T. and TINCHER, W.C., Discrete-Event Simulation of Trouser Manufacturing 2 18

S

Seam Pucker in Lightweight Synthetic Fabrics: Measurement as an Aesthetic Property Using Computer Vision, STYLIOS, G., and SOTOMI, J. 3 14

SHIMMIN, C., see MONKMAN, G.J.

Shopfloor Performance Metrics for the Apparel Industry, PECK, J.C., PARGAS, R.P., KHAMBEKAR, P.K. and DHARMARAJ, S.K. 1 19

SOMMERFELD, J.T., see ROSSER, P.S.

SOTOMI, J., see STYLIOS, G.

(The) Stiffness of Knitted Fabrics: A New Approach to the Measurement of Bending — Part 1: Development, CASSIDY, T., CASSIDY, C., CASSIE, S. and ARKISON, M. 5 14

STYLIOS, G. and SOTOMI, J., Seam Pucker in Lightweight Synthetic Fabrics: Measurement as an Aesthetic Property Using Computer Vision 3 14

T

TAM WONG HUNG YEH., (TAM, H.) Pattern Construction Rules for Down's Syndrome Females 4 25

TINCHER, W.C., see ROSSER, P.S.

U

Use of Permanently Pressure-sensitive Chemical Adhesives in Robot Gripping Devices, MONKMAN, G.J. and SHIMMIN, C. 2 6

Y

YAMADA, Y., see NIWA, M.

NOTES FOR

CONTRIBUTORS

Contributions are welcome and should be sent to the Editor. The address is on the inside front cover.

COPYRIGHT INFRINGEMENT

Authors submitting articles for publication warrant that the work is not an infringement of any existing copyright and will indemnify the publisher against any breach of such warranty.

EDITORIAL OBJECTIVES

- To promote the science and technology of clothing by publishing academic and industrial research findings.
- To provide a forum for the dissemination and exchange of information on clothing research.

PREPARATION OF ARTICLES AND MONOGRAPHS

Length Articles should be between 4,000 and 5,000 words long although shorter contributions can be considered.

Outline Before beginning detailed work on your article, it would be helpful to agree its outline with the Editor.

Title Please suggest a title of not more than eight words.

Autobiographical Note A brief autobiographical note should be supplied, including full name, appointment, and name of organisation.

Typing Please submit three copies of the article, typed in double-spacing and leaving wide margins. North American authors should submit five copies.

Introduction Please include with the article an introductory paragraph of 100 words. This should begin with a simple sentence noting the author's present appointment and organisation, followed by a summary of the article's main points.

Headings, occurring approximately every 750 words, should be typed in capitals and underlined. Sub-headings should be typed in upper and lower case and underlined. Headings should not be numbered.

Footnotes, used as sparingly as possible, should be numbered consecutively and listed at the end of the article. References to other publications should be typed as follows:

(a) References to articles
The author's name (Surname followed by initials of first names); title of the article (in quotation marks); name of the publication in which it appears (underlined); volume and issue number; date of publication; beginning and ending page numbers.
Example: Blanding, W., "The Hidden Eleven Costs of Customer Service", *Transportation and Distribution Management*, Vol. 14 No. 4, July-August 1974, pp. 6-10.

(b) References to books or reports
The author's name (Surname followed by initials of first names); title of the book (underlined); name of publisher; year of publication; page numbers where appropriate.
Example: Schumacher, E.F., *Small is Beautiful*, Blond and Briggs, 1973, p. 22.

All References must be numbered in the text in the order 1, 2, 3...etc.

Figures Please number charts consecutively, referring to them as "Figure 1" etc. Each figure should have a number in arabic numerals, a brief title in capitals and labelled axes. Where rough diagrams are submitted, these will be re-drawn and re-lettered by the studio. Please keep them simple and indicate the precise points through which a line must pass — if necessary by giving co-ordinates. In the text the position of the figure should be shown by typing on a separate line the words "take in Figure 1" etc.

Tables These should be typed on a separate sheet of paper and numbered consecutively and independently of any figures included in the article. Each table should have a number in roman numerals, a brief title, and vertical and horizontal headings. In the text the position of the table should be shown by typing on a separate line the words "take in Table I" etc.

Emphasis Words to be emphasised should be underlined: they will appear in italics in the journal. Please limit the number of emphasised words. The use of capital letters should be kept to proper nouns and the names of official bodies. Inverted commas should be used for direct quotations only.

Acknowledgements The author should indicate if his/her paper has been presented elsewhere. If he/she does not do so, the Editor will assume that the paper is an original contribution. Papers appearing in the Journal should not be published elsewhere without the written consent of the Publisher of the Journal.

Abstracts Authors are requested to supply an abstract of about 150 words when submitting an article. It should be an abbreviated, accurate representation of the contents of the article. Major results, conclusions and/or recommendations should be given, followed by supporting details of method, scope or purpose, as necessary. It should contain sufficient information to enable readers to decide whether they should obtain and read the entire article.

Keywords Authors should also provide 1-6 keywords or descriptors that clearly describe the subject matter of the article. These terms have two purposes: to help describe the subject content of an article to prospective readers; to index the article for retrieval from a database or bibliography. Such keywords might include:

- *Country, geographical area*, e.g. Africa, Sweden, Developing Countries
- *Industry*, e.g. Banking, Aircraft Industry
- *Organisation/organisation-related*, e.g. Small Business, Multinational, Corporate Image
- *People*, e.g. Consultants, Trainers, Top Management
- *Broad Functions*, e.g. Marketing, Production Management
- *Specific Functions*, e.g. Sales Promotion, Scheduling
- *Management and Managerial Activities*, e.g. Matrix Management, Policy Making, Decision Making
- *Other processes and subject areas*, Industrial Relations, Economics, Politics, Quantitative Methods, Research.

Not all of these aspects will be applicable to a particular article. Some articles will require more terms than others.

THE REVIEWING PROCESS

Each paper submitted to *IJCST* is subject to the following review procedures:

(1) It is reviewed by the editor for general suitability for this publication.
(2) If it is judged suitable two reviewers are selected and a double blind review process takes place.
(3) Based on the recommendations of the reviewers, the editor then decides whether the particular article should be accepted as it is, revised or rejected.

The process described above is a general one. The editor, however, may, in some circumstances, vary this process at his discretion.